9600371

THIE UNITED SHAYES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHATE COME;

Pioneer Hi-Ared International, Inc.

THECCUS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE IT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR UNG IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE REPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9344'

In Arstinoun Marcest, I have hereunto set my hand and caused the seal of the Hunt Unriety Protection Office to be affixed at the City of Washington, D.C. this fourteenth day of June, in the year of our Lord two thousand one.

Atlast:

alank Post

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service

Secreta

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made 1974 (5 U.S.C. 552a).	in accordance with the Privacy Act of				
SCIENCE DIVISION - PLANT VARIETY PROTECTION APPLICATION FOR PLANT VARIETY PROTECTIO (Instructions and information collection burden statem)	Application is required in order to certificate is to be issued if U.S.C.	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidentiuntil certificate is issued (7 U.S.C. 2426).				
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	2. TEMPORARY DESIGNATION OR	2. TEMPORARY DESIGNATION OR 3. VARIETY NAME				
		EXPERIMENTAL NUMBER				
Pioneer Hi-Bred International, Inc.	·		9344			
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and C	Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY			
700 Capital Square		515/270-3582	9600371			
400 Locust Street		6. FAX (include area code)	F DATE			
Des Moines, Iowa 50309	4 - 4	515/253-2288	N XIII 30 1991			
GENUS AND SPECIES NAME	8. FAMILY NAME (E	 	FILING AND EXAMINATION FEE:			
Glycine max L.	Lugumi	nosae	[\$ 2450,00			
ROP KIND NAME <i>(Common name)</i> Soybean	4		- S DATE R XUA. 23, 199			
IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGAN	IZATION (corporation, partne	ership, association, etc.) (Common name)	CERTIFICATION FEE:			
Corporation			il 320°			
IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	E DATE ////			
lowa		May 6, 1926	4/4/01			
NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	SERVE IN THIS APPLICAT	TION AND RECEIVE ALL PAPERS	(include area code)			
NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO: Hohn Grace Dr. Daria Schmidt 7300 NW 62nd Ave. P.O. Box 1004	Debra Blai	ir (Copy)	515/270-3582			
7300 NW 62nd Ave.	700 Captia	al Square	15. FAX (include area code)			
Johnston, Iowa 50131-1004	Des Moine	es, Iowa 50309	515/253-2288			
CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Foli	low instructions on revers	se)				
a. Exhibit A. Origin and Breeding History of the Variety						
b. Exhibit B. Statement of Distinctness c. Exhibit C. Objective Description of the Variety						
c. 🟏 Exhibit C. Objective Description of the Variety d. 😿 Exhibit D. Additional Description of the Variety						
e. Exhibit E. Statement of the Basis of the Applicant's Ownership						
f. Voucher Sample (2,600 viable untreated seeds or, for tuber pro		ntion that tissue culture will be deposited and ma	intained in a public repository)			
g. Filing and Examination Fee (\$2450), made payable to "Treasure		(Mail to PVPO)	• • •			
OOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD	BY VARIETY NAME ONLY	Y, AS A CLASS OF CERTIFIED SEED (See Section	83(a) of the Plant Variety Protection Act)?			
YES If "yes," answer items 18 and 19 below)		"no," go to item (20)				
DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMITI GENERATIONS?	ED AS TO NUMBER OF	19. IF "YES" TO ITEM 18, WHICH CLASSES O				
YES NO		FOUNDATION REGISTER				
HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN YES (If "yes," give names of countries and dates) U.S 1996	NO	RED FOR SALE, OR MARKETED IN THE U.S. OR	OTHER COUNTRIES?			
The applicant(s) declare that a viable sample of basic seed of the variety	will be free lets a with a	plication and will be seeked	aggordangs udik suah resulations a			
applicable, or for a tuber propagated variety a fissue culture will be depo	osited in a public reposito	ry and maintained for the duration of the certific	, accordance with such requisitions as may ate			
The undersioned applicant(s) is/are) the owner(s) of this sexually reprod Section 41, and is entitled to protection under the provisions of Section	luced or tuber propagated 42 of the Plant Variety Pro	d plant variety, and believe(s) that the variety is a otection Act.	new. distinct. uniform, and stable as require			
Applicant(s) is(are) informed that false representation herein can jeopard	•					
NATURE OF APPLICANT/Owner(s))	sig	NATURE OF APPLICANT (Owner(s))				
NUL Dans on						
IE (Blease print or type)	I NA*	AE (Please print or type)	•			
D. John Grace III		,				
		ACITY OR TITLE	DATE			
PACITY OR TITLE DATE	/ / 11:49					
PACITY OR TITLE Soybean Research Coordinator	70/9/ CAP	ASICI ON IIILL	DAIL			

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 9344

Variety 9344 evolved from a 1993 cross of (9281/9281/9273/9273/A5403*)

9344 is an F₂-derived variety. The F₃ progeny row of 9344 was grown in the winter of 1993-94 in Salinas, Puerto Rico. Subsequently, 9344 has undergone 2 years of testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of yield performance and enhanced resistance to glyphosate, 9344 was released for sale.

The purification block was grown and 39 sublines were bulked for increase. Twenty-nine acres of 9344 (breeders seed) were grown in the summer of 1995. Three hundred fifty-one acres of parent seedstock (foundation seed equivalent) were grown in the winter of 1995-96 in Chile and an estimated 12,294 bushels will be harvested.

^{*}A5403 transformed with the Roundup Ready(TM) gene.

^{*}Roundup Ready $^{(TM)}$ gene, Trademark, Monsanto Company.

Exhibit B. Statement of Distinctness

Soybean Variety 9344

Variety 9344 which contains the Roundup Ready^(™) gene is different from other soybean varieties in that most other soybean varieties do not contain this gene.

Variety 9344 is similar to 9333 in that they both have tawny pubescence, purple flowers and yellow seeds with black hila color. However, 9344 has a light purple hypocotyl color and 9333 has a dark purple hypocotyl color. Variety 9344 is also significantly taller than 9333 (Table 1).

Pioneer Hi-Bred Int'l Inc,

PVP Application - Exhibit B - Soybean Variety 9344

Table 1. T-test comparison of 9344 versus 9333 for height in 1995 1-year analysis.

 $\Sigma (X1-X2)^2 - (\Sigma X1-X2)^2/n$

(n)(n-1)

SE diff=

Formula for Standard Error Calculations:

		1995 ANALYSIS	Ave 9344 =	Ave 9333 =	d = (Ave X1 - Ave X2)	SE diff = SQRT of	SE diff =	t = d/SE diff =	df=
X2)2		4	4	တ	-	49	67		
X1-X2 (X1-X2)2		7	2	ო	_	7	15	3.0 =q	ndividuals
33 (X2		26	40	36	27	34	163	32.6	groups of indiv
9344 (X1 9333 (X2	Height	78	42	39	28	41	178	35.6	5 gro
REP		_	_	_	τ-	~ -	SUM	MEAN	II C
COC		950	901C	346A	0310	005B			
YEAR		1995					:	1995	

35.60 Height 32.60 Height

3.00 1.100 1.049 2.860

1995 Standard Error Calculation:

0.0459 significant at <5% level

Prob > t =

Location Summary 950 Bethany, MO

950 Bethany, MO 901C Johnston, IA 346A Napoleon, OH

0310 St. Joseph, IL 005B Griswold, IA

Method Used in Gathering Data

- Height measurements where taken on each plot at maturity. One (1) representative measurement was taken per plot. Height was measured from the soil surface to the terminal node,

-Plots were planted using a randomized complete block design. Plots were fifteen feet long by ten foot (four thirty inch rows) wide.

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

	=AN (Glycine max L)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		9344
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)		FOR OFFICIAL USE ONLY
7300 N.W. 62nd Ave., P.O. Box 1004		PVPO NUMBER
Johnston, IA 50131-1004		9600371
Choose the appropriate response which characterizes the variety in the the number of boxes provided, place a zero on the first box when number adequate soybean variety description. Other characters should be description.	ber is 9 or less (e.g., 🕝 🗐). Sta	rred characters 🛨 are considered fundamental to an
1. SEED SHAPE:		
[1]	W T	
4 = Sahariaal // ARV 1/T and TOV		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	•	al Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) Flattened (L/T ratio > 1.2; T/W > 1.2)
- Liongate (D11440 - 1.2, 1744 - 1.2)	4 - Livilgate	Friattened (L) Tatlo > 1.2, 1744 > 1.2)
★ 2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Sp	ecify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton')	2 = Shiny ('Nebsoy'; 'Ga	asov 17')
★ 4. SEED SIZE: (Mature Seed)		
1 4 Grams per 100 seeds		
★ 5. HILUM COLOR: (Mature Seed)		
	5 = Imperfect Black 6 = B	lack 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:		
		4
2 1 = Low 2 = High	•	
* 8. SEED PROTEIN ELECTROPHORETIC BAND:		
(CD4 c)	. D (0041)	
1 = Type A (SP1 a) 2 = Type	B (SP1 b)	
★ 9. HYPOCOTYL COLOR:		•
1 = Green only ('Evans'; 'Davis')	2 = Green with bron	ze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson';	'Pickett 71')	
4 = Dark Purple extending to unifoliate leave	s ('Hodgson'; 'Coker Hampton	: 266A')
★ 10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = O	vate 4 = Other (Speci	fy)
		

(Edition of 2-82 is obsolete.)

FORM LMGS-470-57 (6-83)

Variety Name 9344

	11. LEAFLET SIZE:	
	2 1 = Small ('Amsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')
	3 = Large ('Crawford'; 'Tracy') 12. LEAF COLOR:	
	2 1 = Light Green ('Weber'; 'York')	2 - Madisum Caran (IO-serve 701-ID-serve)
	3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')
*	13. FLOWER COLOR:	
	2 1 = White 2 = Purple	3 = White with purple throat
*	·	
	2 1 = Tan 2 = Brown	3 = Black
*	15. PLANT PUBESCENCE COLOR:	
	2 1 = Gray 2 = Brown (Tawny)	
	16. PLANT TYPES:	
*	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')
*	17. PLANT HABIT:	
	3 1 = Determinate ('Gnome'; 'Braxton')	2 = Semi-Determinate ('Will')
	3 = Indeterminate ('Nebsoy'; 'Improved	
-	40. MATURITY ORGUE	
े त	18. MATURITY GROUP:	
. L	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 = I 5 = II 6 = III 7 = IV 8 = V 12 = IX 13 = X
<u> </u>		
X	19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = S	usceptible; 2 = Resistant)
	BACTERIAL DISEASES:	
	Bacterial Pustule (Xanthomonas phas	eoli var. sojensis)
	* 1 Bacterial Blight (Pseudomonas glycine	a)
٠	★ 0 Wildfire (Pseudomonas tabaci)	
	FUNGAL DISEASES:	
	★ 1 Brown Spot (Septoria glycines)	
	Frogeye Leaf Spot (Cercospora sojina	
		ace 3 Race 4 Race 5 Other (Specify)
	Target Spot (Corynespora cassiicola)	
	0 Downy Mildew (Peronospora trifoliorum	var. manshurica)
	Powdery Mildew (Microsphaera diffusa)	
	★ 0 Brown Stem Rot (Cephalosporium grega	atum)
	0 Stem Canker (Diaporthe phaseolorum v	ar. caulivora)

			varioty riamo oo	
19.		Enter 0 = Not Tested; 1 = Susceptible; 2 :	= Resistant) (Continued)	
*	FUNGAL DISEASES: (Co	•		
^		(Diaporthe phaseolorum var; sojae)		
	Purple Seed Stain (6	Cercospora kikuchii)		
	1 Rhizoctonia Root Rot	(Rhizoctonia solani)		,
	Phytophthora Rot (F	Phytophthora megasperma var. sojae)	, <u> </u>	_
*	0 Race 1 0 Race	e 2 0 Race 3 0 Race 4 0	Race 5 0 Race 6	Race 7
	0 Race 8 0 Race	Other (Specify)		
	VIRAL DISEASES:			
	Bud Blight (Tobacco I	Ringspot Virus)		
	1 Yellow Mosaic (Bean	Yellow Mosaic Virus)		
*	1 Cowpea Mosaic (Cow	pea Chlorotic Virus)	•	·
	1 Pod Mottle (Bean Pod	Mottle Virus)		·
*	1 Seed Mottle (Soybean			·
^	NEMATODE DISEASES:	wosaic virus)		
	Soybean Cyst Nemator	de (Heterodera glycines)		
*	0 Race 1 0 Race	2 1 Race 3 0 Race 4 1	Other (Specify) 14	
	0 Lance Nematode (Hop	lolaimus Colombus)		
*	0 Southern Root Knot No	ematode (Meloidogyne incognita)		
ુ 🛨 ા	0 Northern Root Knot No	ematode (Meloidogyne Hapla)		
	0 Peanut Root Knot Nen	natode (Meloidogyne arenaria)		•
	0 Reniform Nematode (Rotylenchulus reniformis)		
	OTHER DISEASE NOT	ON FORM (Specify)		
20.	PHYSIOLOGICAL RESPON	SES: (ENTER 0 = Not tested, 1 = Suscept	tible, 2 = Resistant)	
*	0 Iron Chlorosis on Calca	areois Soil		
	Other (Specify)			
21.	INSECT REACTION: (ENTE	ER 0 = Not tested, 1 = Susceptible, 2 = Res	sistant)	
	0 Mexican Bean Beetle (,	
	Other (Specify)	npoasca tabae)		
22.		MOST CLOSELY RESEMBLES THAT SU		LIABIT OF MADIETY
	CHARACTER Plant Shape	NAME OF VARIETY 9342	CHARACTER Soud Coat Luster	NAME OF VARIETY 9281
		9281	Seed Coat Luster	9342
	Leaf Shape Leaf Color	9281	Seed Size Seed shape	9392
	Leaf Size	9342	Seed snape Seedling Pigmentation	9392
			gg	
				}

Variety Name 9344

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF	NO. OF PLANT LODGING MATURITY SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
	4			CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD
Submitted	113.7	1.5	87			39.1	23.5	12.7	3
Name of Similar 9342	114.5	1.5	86			41.4	21.5	12.9	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 9344

In Exhibit C we have identified variety 9344 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 9344 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 9344 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 9344 is a mid group III variety. If group III maturities are divided into tenths, the relative maturity of 9344 is 3.4.

Exhibit E. Statement of the Basis of Applicant's Ownership

Soybean Variety 9344

Variety 9344 was originated and developed by U.S. plant breeders from whom, by agreement, Pioneer Hi-Bred International, Inc. has obtained exclusive rights to variety 9344. No rights to variety 9344 are retained by the plant breeder or by any other party.